



**Detar MeM** 

### Safety Data Sheet dated 9/6/2021, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: Detar MeM 251060 - 251065 Trade code: 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: SU 3 Industrial Use 1.3. Details of the supplier of the safety data sheet Company: PERDOMINI-IOC S.p.A. Via Salvo D'Acquisto, 2 37036 S. Martino B.A. (Verona) Tel. +39 045 8788611 - Fax +39 045 8780322 Competent person responsible for the safety data sheet: info@perdomini-ioc.com 1.4. Emergency telephone number 112

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP):

Warning, Met. Corr. 1, May be corrosive to metals.

🥙 Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.



Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. Precautionary statements:

251060 - 251065/4 Page n. 1 of 10



## **Detar MeM**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Special Provisions:

None

Contains

sodium hydroxide; caustic soda potassium hydroxide; caustic potash

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$ Other Hazards:

No other hazards

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 20% - < 25%	sodium hydroxide; caustic soda	Index number: CAS: EC: REACH No.:	011-002-00-6 1310-73-2 215-185-5 01-21194578 92-27-XXXX	<ul> <li>2.16/1 Met. Corr. 1 H290</li> <li>3.2/1A Skin Corr. 1A H314</li> </ul>
>= 5% - < 10%	potassium hydroxide; caustic potash	Index number: CAS: EC: REACH No.:	019-002-00-8 1310-58-3 215-181-3 01-21194871 36-33-XXXX	<ul> <li>2.16/1 Met. Corr. 1 H290</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.2/1A Skin Corr. 1A H314</li> </ul>
>= 1% - < 2%	Acido 1-idrossi etilidene-1,1-difosfonic o	CAS: EC:	2809-21-4 220-552-8	<ul> <li>2.16/1 Met. Corr. 1 H290</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>3.3/1 Eye Dam. 1 H318</li> </ul>

### **SECTION 4: First aid measures**

4.1. Description of first aid measures

251060 - 251065/4 Page n. 2 of 10



## **Detar MeM**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
  - None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment: None

### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
  - Water.
  - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons: None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

251060 - 251065/4 Page n. 3 of 10



### **Detar MeM**

- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
  - See also section 8 for recommended protective equipment.
  - Advice on general occupational hygiene:
    - Contamined clothing should be changed before entering eating areas.
    - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Do not pour the product into other containers. Always use the original container. Keep away from food, drink and feed.
    - Incompatible materials:
    - None in particular.
    - Instructions as regards storage premises:
    - Adequately ventilated premises.
- 7.3. Specific end use(s) None in particular

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters	
sodium hydroxide; caustic soda - CAS: 1310-73-2	
ACGIH - STEL: Ceiling 2 mg/m3 - Notes: URT, eye, and skin irr	
potassium hydroxide; caustic potash - CAS: 1310-58-3	
ACGIH - STEL: Ceiling 2 mg/m3 - Notes: URT, eye, and skin irr	
DNEL Exposure Limit Values	
sodium hydroxide; caustic soda - CAS: 1310-73-2	
Consumer: 1 03 - Exposure: Human Inhalation - Frequency: Long Term (rep Worker Industry: 1 03 - Exposure: Human Inhalation - Frequency: Long Tern (repeated)	
potassium hydroxide; caustic potash - CAS: 1310-58-3	
Worker Industry: 1 03 - Consumer: 1 03 - Exposure: Human Inhalation - Free	quency:
Long Term (repeated)	
PNEC Exposure Limit Values	
N.Á.	
8.2. Exposure controls	
Eye protection:	
Use close fitting safety goggles, don't use eye lens.	
Protection for skin:	
Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber viton.	r, PVC or
Protection for hands:	
Protection for hands:	

251060 - 251065/4

Page n. 4 of 10



### **Detar MeM**

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection: Use adequate protective respiratory equipment.

Thermal Hazards:

None

Environmental exposure controls: None

Appropriate engineering controls:

None

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	N.A.		
Odour:	n.d.		
Melting point/freezing point:	n.a.		
Boiling point or initial boiling point and boiling range:	n.d.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	12,50		
Kinematic viscosity:	N.A.		
Solubility in water:	soluble		
Solubility in oil:	N.A.		
Partition coefficient n-octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative	1.3 - 1.35		
density:	g/cm3		
Relative vapour density:	N.A.		
	Particle cha	aracteristics:	
Particle size:	N.A.		

9.2. Other information

No other relevant information



**Detar MeM** 

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: Detar MeM a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation The product is classified: Skin Corr. 1A H314 c) serious eye damage/irritation The product is classified: Eye Dam. 1 H318 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met a) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met j) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: sodium hydroxide; caustic soda - CAS: 1310-73-2 251060 - 251065/4 Page n. 6 of 10



## **Detar MeM**

- a) acute toxicity: Test: LC50 - Route: Oral = 325 mg/kg bw potassium hydroxide; caustic potash - CAS: 1310-58-3 a) acute toxicity: Route: Oral - Species: Rat = 333 mg/kg bw Acido 1-idrossi etilidene-1,1-difosfonico - CAS: 2809-21-4 DL50 orale (ratto): 2400 mg/kg DL50 cute (coniglio): 7940 mg/kg
- 11.2. Information on other hazards
   Endocrine disrupting properties:
   No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

- 12.1. Toxicity
  - Adopt good working practices, so that the product is not released into the environment. sodium hydroxide; caustic soda CAS: 1310-73-2
  - a) Aquatic acute toxicity:
    - Endpoint: LC50 Species: Fish = 189 mg/l Duration h: 48
      - Endpoint: EC50 Species: Daphnia = 40.4 mg/l Duration h: 48
  - potassium hydroxide; caustic potash CAS: 1310-58-3
  - a) Aquatic acute toxicity:
    - Endpoint: LC50 Species: Fish = 80 mg/l Duration h: 96 Notes: Gambusia affinis
- 12.2. Persistence and degradability

None

sodium hydroxide; caustic soda - CAS: 1310-73-2 Biodegradability: 4

12.3. Bioaccumulative potential

### N.A.

- 12.4. Mobility in soil
- N.A.
- 12.5. Results of PBT and vPvB assessment
  - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
  - No endocrine disruptor substances present in concentration >= 0.1%

1719

12.7. Other adverse effects None

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

#### SECTION 14: Transport information 14.1. UN number or ID number

- ADR-UN number:
- 14.2. UN proper shipping name

251060 - 251065/4 Page n. 7 of 10



### Detar MeM

- 14.3. Transport hazard class(es) ADR-Class:
- 14.4. Packing group
- 14.5. Environmental hazards Marine pollutant: No
- 14.6. Special precautions for user ADR-Transport category (Tunnel restriction code): E
- 14.7. Maritime transport in bulk according to IMO instruments

8

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Text of phrases referred to under heading 3: H290 May be corrosive to metals.

251060 - 251065/4 Page n. 8 of 10



## Detar MeM

H314 Causes severe skin burns and eye damage. H302 Harmful if swallowed. H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals,
		Category 1
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Eye Dam. 1	3.3/1	Serious eye damage, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).



Detar MeM	
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.